



# BANCE



## IMPACT WRENCH AND AUGER

Models GT350GE(S)



A portable, one man operated tool for the fast turning of all threaded track fastenings. It is powerful and reliable, is a great time saver and improves quality by ensuring uniform torque.

Extra Low Vibration Model GT350GES now available.

*The impact wrench is among the most widely used and most useful of all track machines. It operates equally well in both horizontal and vertical positions and has unlimited applications on and around the railway.*

*The drilling attachment further enhances the machine's versatility.*

R BANCE AND CO LTD

CHALMERS ROAD, CHALMERS INDUSTRIAL ESTATE, WIDEN, HANTS RG2 5UE, UK

## IMPACT WRENCH

Engine	Type	: Two Stroke, Air Cooled, Single Cylinder
	Displacement	: 46.5cc
	Fuel Tank Capacity	: 1 litre
	Fuel Mixture Ratio	: 40:1 with 2 stroke oil
	Speed idling	: 2700 rpm $\pm$ 250
	Speed under load	: 7120 rpm
	Maximum speed free running	: 9880 rpm
Ignition	Type	: Electronic
	Spark Plug Type	: NGK BPMR6A
Carburettor	Type	: Diaphragm
Impact section	Square Drive	: 25.4mm (1")
	Torque maximum	: 1790 N.m / 1320 ft.lbs
Output speed	Maximum	: 1200 rpm
Weight	Without Fuel	: 19.50 kg (42.99 lbs)
Dimensions	700mm (L) x 390mm (W) x 330mm (H)	



Portable:	19.5 kg
Convenient:	Not confined by hoses or cables, on busy lines it is safely used between trains
Versatile:	Drills and bolts horizontally and vertically
Fast:	Dismantles rail joints in seconds
Guaranteed:	12 months except for damage and fair wear and tear

The machine may be used instead of or to supplement compressors, generators or hydraulic units working behind or ahead of the main gang.

## A collection of various metal drill bits and reamers arranged on a bright orange background. The tools include several double-flute drill bits of different sizes, some with silver-colored coatings, and several reamers with single or double flutes. Some reamers have hexagonal shanks, while others have cylindrical shanks. The tools are arranged in a somewhat circular pattern, with some standing upright and others lying horizontally.

R BANCE AND CO LTD

